Trackside Safety - Version 12 - 25.08.2023  Reviewed by Aurizon Capability & Development in consultation with	Alternative 1	Alternative 2	Alternative 3	Alternative 4	Aurizon Contractor 36	Aurizon - Around The Track Personnel	Aurizon - Outside Rail Corridor Personnel	Aurizon - Network - Around The Track Personnel	Aurizon - Network Outside Rail Corridor Personnel	Aurizon - Greenfield Construction site	Aurizon - Network - Protection Officer Level 1 (PO1)	Aurizon - Network - Protection Officer Level 2 (PO2)- Track Occupancy Authority	Aurizon - Network - Protection Officer Level 3 (PO3)- Track Occupancy with Multiple Workgroups	Aurizon - Network - Protection Officer Level 4 (PO4) - Possession Protection Officer	Aurizon - Network - Lookout (Non-Protection Officer)	Aurizon Isolation and Lockout - Isolating Person	Aurizon Isolation and Lockout - Isolation Planner	Aurizon - Network - Authorised Person	Aurizon - Network - Responsible Worker
Aurizon Network Safety Partners and Aurizon Health and Rehab Team  Medical	Alter	Alteri	Alteri	Alteri				Au	Auri		Auriz	Auriz	Auriz	Auriz	Ь	An	Au		
Rail Medical Cat 3						Х		Х			X\$	X\$	X\$	X\$	X\$				
Rail Medical Cat 2											X\$	X\$	X\$	X\$	X\$				
National Units of Competency CPCCOHS1001 Work safely in the construction industry																			
(White / Blue card)	CPCCWHS1001A					Х	Х	Х	Х	Х									
TLIF0020 Safely Access the Rail Corridor	TLIF2080	TLIF2080A	TLIF2080B	TLIF2080C		Х		Х			Х	Х	Х	Х	Х				
TLIF2010 Apply Fatigue Management Strategies	TLIF2010A	TLIF1007C									Х	Х	Х	Х				<b> </b>	
TLIF0025 Follow Work Health and Safety Procedures	TLIF1001	TLIF1001A	TLIF107C								Х	Х	Х	Х					
TLIB0012 - Maintain and Use Hand Tools	TLIB1028	TLIB1028A									X								
TLIE1003 Participate in Basic workplace Communication	TLIE1003A	TLIE307C									X	X	X	X				$\vdash$	
TLID0020 Shift Materials using manual handling methods	TLID1001	TLID1001A	TLID107C								X	X	X	X				$\longmapsto$	
TLIU2008 Apply environmental procedures to rail infrastructure	TLI2008A	TLIU809A									X	X	X	X				$\longmapsto$	
TLIE2007 Use communication systems	TLIE2007A TLIG1001	TLIE707B TLIG1001A	TLIG107C								×	×	×	X					
TLIG0003 Work effectively with others	TLIE2008	TLIE2008A	TLIE807C								X	×	X	×				$\vdash$	
TLIE0002 Process workplace documentation	TLIL3082A	TLIL3069A	TELEBO/ C								×	x	×					$\vdash$	
TLIL3082 Implement absolute signal blocking	TLIF2081A	TLIB2080B									×	x	×	x	Х			$\vdash$	
TLIF2081 Perform lookout duties	TLIF3083	TLIF3083A	TLIF3083B	TLIL3066A							x	x	×	x	^				$\vdash$
TLIF0023 Conduct Track Protection Assessment	TLIE2029A	TEIFSUOSA	TEIF3003B	TEIESOOOA							× ×	x	×					$\vdash$	
TLIE2029 Conduct workplace information briefings	TLIW2001	TLIW2001A	TLIW107B								×	x	×	x					
TLIW0007 Operate under track protection rules	TLIL3065	TLIL3065B	TLIL3065A								^	x	×						$\vdash$
TLIL0010 Implement track occupancy authority	TLIF2097A	120000										X	x	x					$\vdash$
TLIF2097 Use audible track warning devices	TLIW2037B	TLIW2037A										X	×	X					
TLIW2037 Clip and secure points	TLIW2039A											X	x	×					
TLIW2039 Place and remove permanent way stop boards	TLIC2081	TLIC2081A	TLIC2053A										х	Х					
TLIC0025 Pilot traffic within work on track authority limits TLIL4069 Plan and coordinate protection for multiple worksites within	TLIL4069A	TLIL4068A																	
limits of a work on track authority													Х	X					
TLIL3084 Implement a local possession authority	TLIL3084A	TLIL3067A												Х					
TLIW3026 - Operate stand alone signalling/point control equipment	TLIW3026B	TLIW3026A										Х	X	Х					
Aurizon Enterprise Qualifications																			
Aurizon General Contractor Induction					Х				.,										
Aurizon Rail Corridor Induction						X	X	X	X									$\longmapsto$	
Aurizon People & Plant Separation - Foundation						X	X	X	X	Х									
Aurizon Land Access Protocol						×	X	×	×									$\vdash$	
Aurizon Environmental Awareness						×	^	×										$\vdash$	
Aurizon Isolation and Lockout - Protected Person (Online)								^			X	X	Х	X		Х		$\vdash$	
Aurizon Isolation and Lockout - Isolating Person (Verification)											^	^	^	x		^	Х		
Aurizon Isolation and Lockout - Isolation Planner (Verification)														^				$\vdash$	X
Aurizon Responsible Worker Training								V.*	V*									$\vdash$	
Aurizon Network Rail Corridor Safety Standard Upskilling v1.1 to v1.2								X*	X*		X	X	X	X	X				X▲
Aurizon Track Protection Card  Aurizon Verification of Competency (VOC) PO Level 1											X	^	^	^	^				
Aurizon Verification of Competency (VOC) PO Level 1  Aurizon Verification of Competency (VOC) PO Level 2												Х							
Aurizon Verification of Competency (VOC) PO Level 3													Х						
Aurizon Verification of Competency (VOC) PO Level 4														Х					
Aurizon Lookout Working															Х				
Aurizon Authorised Person Card																		Х	
Aurizon Authorised Person Logbook (6 Months)																		Х	

## Notes

It is mandatory for all Contractors to complete the Aurizon General Contractor Induction and to have the relevant Role for working in or around Aurizon's Rail Corridor.

If you are a **Visitor** to the Corridor (ie a person not undertaking any task or work activity as defined by the Aurizon Network Rail Corridor Safety Standard), you are not required to hold an 'Around the Track Personnel' Rail Safety Worker Role. Visitors that do not hold the Safety Access the Rail Corridor competency must be provided with a Rail Corridor Induction Checklist (SW 62) by an Aurizon Representative prior to accessing or upon entry the Rail Corridor. All visitors attending the Rail Corridor are to be given a pre-start briefing and are to be escorted at all times by an Aurizon Representative.

Aurizon - Network - Around the Track Personnel is the Role applicable to all Workers who work within Aurizon Network's Rail Corridor with exception to those areas defined under Rail Interfaces in the Aurizon Network Rail Corridor Safety Standard

Aurizon - Network - Outside Rail Corridor Personnel is the Role applicable to Workers who undertake Rail Safety Work at locations outside of the Aurizon Network's Rail Corridor (e.g. Telecommunications equipment or Tower Structure on a mountain).

Aurizon - Network - Greenfield Construction sites are not connected to existing infrastructure. Once a Greenfield Construction site has rail on sleepers and/or is connected to existing infrastructure, the Aurizon - Network - Argued the Track Personnel Role in required.

An Aurizon - Network - Responsible Worker is defined as per the Aurizon Rail Corridor Safety Standard which is available via the Aurizon - External Workers Safety, Health and Environment Documents Advices and Alerts Portal. Please contact Network Training & Compliance (networktrainingandcompliance@aurizon.com.au) to organise

Aurizon - Network Lookout (Non-Protection Officer) - A Protection Officer will make the decision whether lookout working is the acceptable method for the task and will instruct the Lookout on their duties.

Aurizon issued Track Protection cards <u>must</u> be available for presentation at all times on site.

X\$ Category 3 Medicals will be replaced with Category 2 Medicals (minimum) for specific Roles from 1 September 2024. Existing Protection Officers and Lookout Roleholders will be able to upload new Category 2 Medicals to their Profile from 28 August 2023 until 31 August 2024.

- \* Rail Corridor Safety Standard Upskilling v1.1 to v1.2 Certificate or Aurizon Rail Corridor Induction Certificate dated after 30 April 2022.
- ▲ Rail Corridor Safety Standard Upskilling v1.1 to v1.2 Certificate or other Training Record as advised by Aurizon required for Aurizon Responsible Workers trained prior to 31 January 2022. Not required for Aurizon Responsible Workers trained post 31 January 2022.