

MINERAL CONCENTRATE SHIPLOADER

Water Quality Monitoring Results (mg/L) – Monthly when discharge

March 2025																Comments	
Sampled: 31/03/25				Received: 16/04/25				Posted: 29/04/25								Cu total due to discharge from emergency cleaning of Tippler reporting to STW3BDY. No discharge to harbour and pit cleaned post sampling.	
EPL5 (STW3BDY)								EPL6 (STW2BDY)									
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn			
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss	Tot		
6.8	11	0.09	3.98	0.07	0.48	0.87	1.12	6.7	6	0.08	0.09	0.03	0.09	0.65	0.65		
February 2025																Comments	
Sampled: 12/02/25				Received: 19/02/25				Posted: 19/02/25									
EPL5 (STW3BDY)								EPL6 (STW2BDY)									
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn			
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss	Tot		
6.57	50	0.181	0.196	0.084	0.098	1.39	1.45	6.60	9	0.198	0.214	0.206	0.259	1.190	1.220		
January 2025																Comments	
Sampled: 07/01/25				Received: 29/01/25				Posted: 05/02/25									
EPL5 (STW3BDY)								EPL6 (STW2BDY)									
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn			
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss	Tot		
7.1	8	0.30	0.39	0.06	0.15	1.22	1.34	6.8	7	0.07	0.11	0.03	0.07	0.67	0.78		
December 2024																Comments	
Sampled: 18/12/24				Received: 27/12/24				Posted: 14/01/25									
EPL5 (STW3BDY)								EPL6 (STW2BDY)									
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn			
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss	Tot		
6.8	14	0.34	0.45	0.07	0.23	1.76	2.01	6.4	16	0.10	0.18	0.05	0.12	1.06	1.25		

MINERAL CONCENTRATE SHIPLOADER

Water Quality Monitoring Results (mg/L) – Monthly when discharge

[illegible]

MINERAL CONCENTRATE SHIPLOADER

Water Quality Monitoring Results (mg/L) – Monthly when discharge

July 2024																Comments
Sampled: 26/07/2024				Received: 26/07/2024				Posted: 01/08/2024								
EPL5 (STW3BDY)								EPL6 (STW2BDY)								
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss	Tot	
6.6	18	0.16	0.23	0.05	0.20	1.47	1.53	6.8	18	0.03	0.09	0.01	0.11	0.48	0.58	
June 2024																Comments
Sampled: N/A				Received: N/A				Posted: N/A								
EPL5 (STW3BDY)								EPL6 (STW2BDY)								No discharge able to be sampled during monitoring period
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss	Tot	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
May 2024																Comments
Sampled: 01/05/2024				Received: 16/05/2024				Posted: 16/05/2024								
EPL5 (STW3BDY)								EPL6 (STW2BDY)								
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss	Tot	
7.0	7	0.19	0.27	0.05	0.15	0.85	1.11	7.7	<5	0.03	0.05	0.01	0.04	0.24	0.32	
April 2024																Comments
Sampled: 05/04/2024				Received: 17/04/2024				Posted: 16/05/2024								
EPL5 (STW3BDY)								EPL6 (STW2BDY)								
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss	Tot	
6.6	20	0.14	0.31	0.05	0.40	0.76	0.98	6.9	12	0.02	0.16	0.04	0.47	0.22	0.37	

MINERAL CONCENTRATE SHIPLOADER

Water Quality Monitoring Results (mg/L) – Monthly when discharge

March 2024															Comments		
Sampled: N/A				Received: N/A				Posted: N/A									
EPL5 (STW3BDY)								EPL6 (STW2BDY)							No discharge during monitoring period		
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn			
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss			Tot
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
February 2024															Comments		
Sampled: 14/02/2024				Received: 20/03/24				Posted: 21/03/24									
EPL5 (STW3BDY)								EPL6 (STW2BDY)									
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn			
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss			Tot
6.1	20	0.16	0.28	0.04	0.22	1.55	1.86	6.1	<5	0.11	0.13	0.09	0.15	0.93	1.02		
January 2024															Comments		
Sampled: 31/01/2024				Received: 22/02/24				Posted: 01/03/24									
EPL5 (STW3BDY)								EPL6 (STW2BDY)									
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn			
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss			Tot
7.0	<5	0.06	0.11	0.03	0.09	0.39	0.43	7.3	<5	0.29	0.34	0.07	0.14	0.76	0.78		
December 2023															Comments		
Sampled: 20/12/2023				Received: 23/01/24				Posted: 23/01/24									
EPL5 (STW3BDY)								EPL6 (STW2BDY)									
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn			
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss			Tot
6.7	7	0.42	0.55	0.09	0.30	1.30	1.41	6.8	<5	0.08	0.10	0.03	0.09	1.04	1.02		

MINERAL CONCENTRATE SHIPLOADER

Water Quality Monitoring Results (mg/L) – Monthly when discharge

November 2023																Comments
Sampled: 05/11/2023				Received: 29/10/23				Posted: 29/11/23								
EPL5 (STW3BDY)								EPL6 (STW2BDY)								
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss	Tot	
6.5	26	0.21	0.41	0.05	0.32	0.81	1.05	6.3	27	0.07	0.25	0.02	0.27	0.39	0.55	
October 2023																Comments
Sampled: 26/10/2023				Received: 15/11/23				Posted: 18/10/23								
EPL5 (STW3BDY)								EPL6 (STW2BDY)								
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss	Tot	
7.0	<5	0.34	0.46	0.04	0.12	1.50	1.71	7.1	6	0.14	0.22	0.02	0.09	2.02	2.19	
September 2023																Comments
Sampled: 28/09/2023				Received: 18/10/23				Posted: 18/10/23								
EPL5 (STW3BDY)								EPL6 (STW2BDY)								
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss	Tot	
6.9	9	0.16	0.21	0.03	0.11	0.85	0.93	6.9	10	0.05	0.09	0.03	0.10	0.64	0.71	
August 2023																Comments
Sampled: 14/08/2023				Received: 08/09/23				Posted: 08/09/23								
EPL5 (STW3BDY)								EPL6 (STW2BDY)								
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss	Tot	
6.3	18	0.08	0.31	0.04	0.27	0.72	1.09	6.1	8	0.22	0.40	0.03	0.11	1.09	1.39	

MINERAL CONCENTRATE SHIPLOADER

Water Quality Monitoring Results (mg/L) – Monthly when discharge

July 2023															Comments	
Sampled: 31/07/2023								Received: 10/08/23				Posted: 10/08/23			No discharge during monitoring period	
EPL5 (STW3BDY)								EPL6 (STW2BDY)								
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss		Tot
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
June 2023															Comments	
Sampled: 23/06/2023								Received: 14/07/23				Posted: 25/07/23				
EPL5 (STW3BDY)								EPL6 (STW2BDY)								
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss		Tot
7.1	43	0.19	0.48	0.02	0.47	1.40	1.70	7.3	41	0.11	0.39	0.04	0.51	0.85	1.09	
May 2023															Comments	
Sampled: 17/05/2023								Received: 15/06/23				Posted: 16/06/23				
EPL5 (STW3BDY)								EPL6 (STW2BDY)								
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss		Tot
6.8	<5	0.20	0.27	0.08	0.19	1.67	1.74	7.0	19	0.07	0.18	0.01	0.16	0.86	0.97	
April 2023															Comments	
Sampled: 20/04/2023								Received: 26/05/23				Posted: 16/06/23				
EPL5 (STW3BDY)								EPL6 (STW2BDY)								
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss		Tot
6.5	23	0.22	0.46	0.07	0.83	1.22	1.69	6.6	<5	0.03	0.06	0.03	0.09	0.49	0.57	

MINERAL CONCENTRATE SHIPLOADER

Water Quality Monitoring Results (mg/L) – Monthly when discharge

[illegible]

MINERAL CONCENTRATE SHIPLOADER

Water Quality Monitoring Results (mg/L) – Monthly when discharge

November 2022																Comments
Sampled: 13/11/2022								Received: 23/12/22				Posted: 23/12/22				
EPL5 (STW3BDY)								EPL6 (STW2BDY)								
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss	Tot	
7.1	5	0.06	0.12	0.02	0.09	0.46	0.61	7.0	6	0.05	0.09	0.01	0.04	0.42	0.52	
October 2022																Comments
Sampled: NA								Received: 30/11/22				Posted: 08/12/22				No discharge during monitoring period
EPL5 (STW3BDY)								EPL6 (STW2BDY)								
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss	Tot	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
September 2022																Comments
Sampled: NA								Received: 25/10/22				Posted: 25/10/22				No discharge during monitoring period
EPL5 (STW3BDY)								EPL6 (STW2BDY)								
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss	Tot	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
August 2022																Comments
Sampled: 23/08/2022								Received: 21/09/2022				Posted: 23/09/2022				None
EPL5 (STW3BDY)								EPL6 (STW2BDY)								
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss	Tot	
7.0	18	0.31	0.41	0.03	0.14	1.52	1.69	7.0	7	0.65	0.73	0.13	0.25	2.80	2.81	

MINERAL CONCENTRATE SHIPLOADER

Water Quality Monitoring Results (mg/L) – Monthly when discharge

July 2022																Comments
Sampled: 05/07/2022								Received: 26/07/2022				Posted: 27/07/2022				None
EPL5 (STW3BDY)								EPL6 (STW2BDY)								
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss	Tot	
7.5	10	0.26	0.62	0.03	0.16	2.22	2.90	6.6	22	0.02	0.17	0.01	0.15	0.30	0.48	
June 2022																Comments
Sampled: 27/06/2022								Received: 07/07/2022				Posted: 27/07/2022				None
EPL5 (STW3BDY)								EPL6 (STW2BDY)								
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss	Tot	
7.0	30	0.08	0.22	0.01	0.17	0.80	1.04	6.9	64	0.06	0.34	0.01	0.25	0.44	0.72	
May 2022																Comments
Sampled: 23/05/2022								Received: 16/06/2022				Posted: 16/06/2022				None
EPL5 (STW3BDY)								EPL6 (STW2BDY)								
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss	Tot	
7.0	<5	0.11	0.13	0.03	0.07	0.78	0.83	7.2	<5	0.09	0.12	0.03	0.03	0.26	0.28	
April 2022																Comments
Sampled: 24/04/2022								Received: 11/05/2022				Posted: 12/05/2022				None
EPL5 (STW3BDY)								EPL6 (STW2BDY)								
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss	Tot	
6.9	6	0.05	0.17	0.02	0.08	1.46	1.63	6.8	<5	0.02	0.06	0.02	0.05	0.21	0.24	

MINERAL CONCENTRATE SHIPLOADER

Water Quality Monitoring Results (mg/L) – Monthly when discharge

[illegible]

MINERAL CONCENTRATE SHIPLOADER

Water Quality Monitoring Results (mg/L) – Monthly when discharge

November 2021															Comments	
Sampled: 10/11/2021					Received: 16/11/2021					Posted: 17/11/2021						
EPL5 (STW3BDY)								EPL6 (STW2BDY)								None
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss	Tot	
7.0	18	0.12	0.21	0.03	0.13	1.01	1.17	6.9	21	0.03	0.13	0.03	0.13	0.60	0.75	
October 2021															Comments	
Sampled: 01/10/2021					Received: 08/10/2021					Posted: 11/10/2021						
EPL5 (STW3BDY)								EPL6 (STW2BDY)								None
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss	Tot	
6.7	22	0.11	0.28	0.03	0.15	0.91	1.10	6.5	21	0.07	0.18	0.02	0.08	2.96	2.89	
September 2021															Comments	
Sampled: 14/09/2021					Received: 23/09/2021					Posted: 24/09/2021						
EPL5 (STW3BDY)								EPL6 (STW2BDY)								None
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss	Tot	
7.0	14	0.06	0.11	0.01	0.11	0.67	0.79	6.8	8	0.07	0.11	0.01	0.03	0.64	0.75	
August 2021															Comments	
Sampled: 24/08/2021					Received: 31/08/2021					Posted: 01/09/2021						
EPL5 (STW3BDY)								EPL6 (STW2BDY)								None
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss	Tot	
6.8	28	0.10	0.20	0.01	0.12	0.77	1.04	6.7	16	0.06	0.08	0.01	0.04	0.58	0.70	

MINERAL CONCENTRATE SHIPLOADER

Water Quality Monitoring Results (mg/L) – Monthly when discharge

July 2021																Comments
Sampled: 16/07/2021								Received: 23/07/2021				Posted: 26/07/2021				None
EPL5 (STW3BDY)								EPL6 (STW2BDY)								
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss	Tot	
6.8	11	0.09	0.24	0.02	0.19	1.08	1.26	6.7	6	0.10	0.17	0.02	0.08	1.30	1.45	
June 2021																Comments
Sampled: 03/06/2021								Received: 15/06/2021				Posted: 24/06/2021				None
EPL5 (STW3BDY)								EPL6 (STW2BDY)								
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss	Tot	
6.9	6	0.12	0.14	0.02	0.06	1.00	1.04	7.4	<5	0.04	0.05	0.03	0.05	0.41	0.44	
May 2021																Comments
Sampled: 06/05/2021								Received: 17/05/2021				Posted: 17/05/2021				None
EPL5 (STW3BDY)								EPL6 (STW2BDY)								
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss	Tot	
7.1	7	0.11	0.13	0.02	0.05	0.67	0.72	6.9	6	0.13	0.15	0.04	0.10	1.08	1.07	
April 2021																Comments
Sampled: 17/04/2021								Received: 17/05/2021				Posted: 17/05/2021				None
EPL5 (STW3BDY)								EPL6 (STW2BDY)								
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss	Tot	
7.1	<5	0.09	0.18	0.02	0.19	0.74	0.91	7.3	9	0.02	0.06	0.02	0.10	0.26	0.33	

MINERAL CONCENTRATE SHIPLOADER

Water Quality Monitoring Results (mg/L) – Monthly when discharge

March 2021															Comments	
Sampled: 08/03/2021					Received: 14/04/2021					Posted: 16/04/2021					None	
EPL5 (STW3BDY)								EPL6 (STW2BDY)								
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss		Tot
6.4	26	0.27	0.82	0.06	0.30	1.23	1.76	6.3	17	0.17	0.31	0.06	0.18	1.36	1.49	
February 2021															Comments	
Sampled: 06/02/2021					Received: 18/03/2021					Posted: 22/03/2021					None	
EPL5 (STW3BDY)								EPL6 (STW2BDY)								
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss		Tot
6.5	8	0.14	0.16	0.08	0.13	1.2	1.2	6.7	6	0.13	0.15	0.04	0.08	0.62	0.63	
January 2021															Comments	
Sampled: 04/01/2021					Received: 03/03/2021					Posted: 10/03/2021					None	
EPL5 (STW3BDY)								EPL6 (STW2BDY)								
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss		Tot
6.3	8	0.09	0.14	0.07	0.15	1.3	1.4	6.0	8	0.10	0.12	0.04	0.07	0.61	0.65	