

MINERAL CONCENTRATE SHIPLOADER

Water Quality Monitoring Results (mg/L) – Monthly when discharge

February 2025																Comments
Sampled: 12/02/25				Received: 19/02/25				Posted: 19/02/25								
EPL5 (STW3BDY)								EPL6 (STW2BDY)								
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss	Tot	
6.57	50	0.181	0.196	0.084	0.098	1.39	1.45	6.60	9	0.198	0.214	0.206	0.259	1.190	1.220	
January 2025																Comments
Sampled: 07/01/25				Received: 29/01/25				Posted: 05/02/25								
EPL5 (STW3BDY)								EPL6 (STW2BDY)								
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss	Tot	
7.1	8	0.30	0.39	0.06	0.15	1.22	1.34	6.8	7	0.07	0.11	0.03	0.07	0.67	0.78	
December 2024																Comments
Sampled: 18/12/24				Received: 27/12/24				Posted: 14/01/25								
EPL5 (STW3BDY)								EPL6 (STW2BDY)								
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss	Tot	
6.8	14	0.34	0.45	0.07	0.23	1.76	2.01	6.4	16	0.10	0.18	0.05	0.12	1.06	1.25	
November 2024																Comments
Sampled: 07/11/24				Received: 21/11/24				Posted: 06/12/24								
EPL5 (STW3BDY)								EPL6 (STW2BDY)								
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss	Tot	
6.0	35	0.28	0.52	0.06	0.20	1.21	1.78	6.5	71	0.13	0.33	0.05	0.29	1.89	2.40	

MINERAL CONCENTRATE SHIPLOADER

Water Quality Monitoring Results (mg/L) – Monthly when discharge

October 2024															Comments	
Sampled: -					Received: -					Posted: -					No discharge able to be sampled during monitoring period	
EPL5 (STW3BDY)								EPL6 (STW2BDY)								
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss		Tot
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
September 2024															Comments	
Sampled: 26/09/2024					Received: 08/10/2024					Posted: 11/10/2024						
EPL5 (STW3BDY)								EPL6 (STW2BDY)								
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss		Tot
6.4	<5	0.13	0.18	0.04	0.11	0.96	1.04	7.0	<5	0.05	0.10	0.03	0.12	0.46	0.56	
August 2024															Comments	
Sampled: -					Received: -					Posted: -					No discharge able to be sampled during monitoring period	
EPL5 (STW3BDY)								EPL6 (STW2BDY)								
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss		Tot
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
July 2024															Comments	
Sampled: 26/07/2024					Received: 26/07/2024					Posted: 01/08/2024						
EPL5 (STW3BDY)								EPL6 (STW2BDY)								
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss		Tot
6.6	18	0.16	0.23	0.05	0.20	1.47	1.53	6.8	18	0.03	0.09	0.01	0.11	0.48	0.58	

MINERAL CONCENTRATE SHIPLOADER

Water Quality Monitoring Results (mg/L) – Monthly when discharge

February 2024																Comments
Sampled: 14/02/2024				Received: 20/03/24				Posted: 21/03/24								
EPL5 (STW3BDY)								EPL6 (STW2BDY)								
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss	Tot	
6.1	20	0.16	0.28	0.04	0.22	1.55	1.86	6.1	<5	0.11	0.13	0.09	0.15	0.93	1.02	
January 2024																Comments
Sampled: 31/01/2024				Received: 22/02/24				Posted: 01/03/24								
EPL5 (STW3BDY)								EPL6 (STW2BDY)								
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss	Tot	
7.0	<5	0.06	0.11	0.03	0.09	0.39	0.43	7.3	<5	0.29	0.34	0.07	0.14	0.76	0.78	
December 2023																Comments
Sampled: 20/12/2023				Received: 23/01/24				Posted: 23/01/24								
EPL5 (STW3BDY)								EPL6 (STW2BDY)								
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss	Tot	
6.7	7	0.42	0.55	0.09	0.30	1.30	1.41	6.8	<5	0.08	0.10	0.03	0.09	1.04	1.02	
November 2023																Comments
Sampled: 05/11/2023				Received: 29/10/23				Posted: 29/11/23								
EPL5 (STW3BDY)								EPL6 (STW2BDY)								
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss	Tot	
6.5	26	0.21	0.41	0.05	0.32	0.81	1.05	6.3	27	0.07	0.25	0.02	0.27	0.39	0.55	

MINERAL CONCENTRATE SHIPLOADER

Water Quality Monitoring Results (mg/L) – Monthly when discharge

June 2023																Comments	
Sampled: 23/06/2023				Received: 14/07/23				Posted: 25/07/23									
EPL5 (STW3BDY)								EPL6 (STW2BDY)									
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn			
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss	Tot		
7.1	43	0.19	0.48	0.02	0.47	1.40	1.70	7.3	41	0.11	0.39	0.04	0.51	0.85	1.09		
May 2023																Comments	
Sampled: 17/05/2023				Received: 15/06/23				Posted: 16/06/23									
EPL5 (STW3BDY)								EPL6 (STW2BDY)									
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn			
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss	Tot		
6.8	<5	0.20	0.27	0.08	0.19	1.67	1.74	7.0	19	0.07	0.18	0.01	0.16	0.86	0.97		
April 2023																Comments	
Sampled: 20/04/2023				Received: 26/05/23				Posted: 16/06/23									
EPL5 (STW3BDY)								EPL6 (STW2BDY)									
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn			
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss	Tot		
6.5	23	0.22	0.46	0.07	0.83	1.22	1.69	6.6	<5	0.03	0.06	0.03	0.09	0.49	0.57		
March 2023																Comments	
Sampled: 14/03/2022				Received: 01/05/23				Posted: 16/06/23									
EPL5 (STW3BDY)								EPL6 (STW2BDY)									
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn			
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss	Tot		
6.5	11	0.15	0.24	0.02	0.11	0.57	0.70	7.2	<5	0.05	0.08	0.01	0.05	0.37	0.43		

MINERAL CONCENTRATE SHIPLOADER

Water Quality Monitoring Results (mg/L) – Monthly when discharge

February 2023															Comments	
Sampled: 14/02/2023					Received: 24/02/23					Posted: 27/02/23						
EPL5 (STW3BDY)								EPL6 (STW2BDY)								
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss		Tot
6.8	<5	0.43	0.52	0.03	0.07	0.97	1.04	7.0	23	0.06	0.17	0.01	0.21	0.52	0.74	
January 2023															Comments	
Sampled: 30/01/2023					Received: 24/02/23					Posted: 27/02/23						
EPL5 (STW3BDY)								EPL6 (STW2BDY)								
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss		Tot
7.0	35	0.06	0.57	0.02	0.29	0.50	0.91	7.1	<5	0.05	0.07	0.02	0.06	0.32	0.32	
December 2022															Comments	
Sampled: 01/12/2022					Received: 18/01/23					Posted: 25/01/23					No discharge during monitoring period	
EPL5 (STW3BDY)								EPL6 (STW2BDY)								
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss		Tot
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
November 2022															Comments	
Sampled: 13/11/2022					Received: 23/12/22					Posted: 23/12/22						
EPL5 (STW3BDY)								EPL6 (STW2BDY)								
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss		Tot
7.1	5	0.06	0.12	0.02	0.09	0.46	0.61	7.0	6	0.05	0.09	0.01	0.04	0.42	0.52	

MINERAL CONCENTRATE SHIPLOADER

Water Quality Monitoring Results (mg/L) – Monthly when discharge

October 2022																Comments
Sampled: NA				Received: 30/11/22				Posted: 08/12/22								No discharge during monitoring period
EPL5 (STW3BDY)								EPL6 (STW2BDY)								
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss	Tot	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
September 2022																Comments
Sampled: NA				Received: 25/10/22				Posted: 25/10/22								No discharge during monitoring period
EPL5 (STW3BDY)								EPL6 (STW2BDY)								
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss	Tot	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
August 2022																Comments
Sampled: 23/08/2022				Received: 21/09/2022				Posted: 23/09/2022								None
EPL5 (STW3BDY)								EPL6 (STW2BDY)								
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss	Tot	
7.0	18	0.31	0.41	0.03	0.14	1.52	1.69	7.0	7	0.65	0.73	0.13	0.25	2.80	2.81	
July 2022																Comments
Sampled: 05/07/2022				Received: 26/07/2022				Posted: 27/07/2022								None
EPL5 (STW3BDY)								EPL6 (STW2BDY)								
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss	Tot	
7.5	10	0.26	0.62	0.03	0.16	2.22	2.90	6.6	22	0.02	0.17	0.01	0.15	0.30	0.48	

MINERAL CONCENTRATE SHIPLOADER

Water Quality Monitoring Results (mg/L) – Monthly when discharge

June 2022																Comments
Sampled: 27/06/2022				Received: 07/07/2022				Posted: 27/07/2022								None
EPL5 (STW3BDY)								EPL6 (STW2BDY)								
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss	Tot	
7.0	30	0.08	0.22	0.01	0.17	0.80	1.04	6.9	64	0.06	0.34	0.01	0.25	0.44	0.72	
May 2022																Comments
Sampled: 23/05/2022				Received: 16/06/2022				Posted: 16/06/2022								None
EPL5 (STW3BDY)								EPL6 (STW2BDY)								
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss	Tot	
7.0	<5	0.11	0.13	0.03	0.07	0.78	0.83	7.2	<5	0.09	0.12	0.03	0.03	0.26	0.28	
April 2022																Comments
Sampled: 24/04/2022				Received: 11/05/2022				Posted: 12/05/2022								None
EPL5 (STW3BDY)								EPL6 (STW2BDY)								
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss	Tot	
6.9	6	0.05	0.17	0.02	0.08	1.46	1.63	6.8	<5	0.02	0.06	0.02	0.05	0.21	0.24	
March 2022																Comments
Sampled: 03/03/2022				Received: 24/03/2022				Posted: 25/03/2022								None
EPL5 (STW3BDY)								EPL6 (STW2BDY)								
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss	Tot	
7.1	10	0.49	0.64	0.07	0.23	1.84	2.04	7.7	11	0.03	0.08	0.05	0.13	0.29	0.40	

MINERAL CONCENTRATE SHIPLOADER
Water Quality Monitoring Results (mg/L) – Monthly when discharge

February 2022																Comments
Sampled: 02/02/2022				Received: 22/02/2022				Posted: 23/02/2022								None
EPL5 (STW3BDY)								EPL6 (STW2BDY)								
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss	Tot	
8.0	<5	0.09	0.16	0.03	0.10	1.26	1.36	7.1	<5	0.02	0.03	0.03	0.05	0.29	0.30	
January 2022																Comments
Sampled: 19/01/2022				Received: 02/02/2022				Posted: 03/02/2022								None
EPL5 (STW3BDY)								EPL6 (STW2BDY)								
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss	Tot	
6.6	24	0.26	0.24	0.02	0.11	0.60	0.50	6.9	18	0.01	0.04	0.02	0.14	0.16	0.28	
December 2021																Comments
Sampled: N/A				Received: N/A				Posted: N/A								No discharge during monitoring period
EPL5 (STW3BDY)								EPL6 (STW2BDY)								
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss	Tot	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
November 2021																Comments
Sampled: 10/11/2021				Received: 16/11/2021				Posted: 17/11/2021								None
EPL5 (STW3BDY)								EPL6 (STW2BDY)								
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss	Tot	
7.0	18	0.12	0.21	0.03	0.13	1.01	1.17	6.9	21	0.03	0.13	0.03	0.13	0.60	0.75	

MINERAL CONCENTRATE SHIPLOADER

Water Quality Monitoring Results (mg/L) – Monthly when discharge

October 2021															Comments	
Sampled: 01/10/2021					Received: 08/10/2021					Posted: 11/10/2021					None	
EPL5 (STW3BDY)								EPL6 (STW2BDY)								
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss	Tot	
6.7	22	0.11	0.28	0.03	0.15	0.91	1.10	6.5	21	0.07	0.18	0.02	0.08	2.96	2.89	
September 2021															Comments	
Sampled: 14/09/2021					Received: 23/09/2021					Posted: 24/09/2021					None	
EPL5 (STW3BDY)								EPL6 (STW2BDY)								
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss	Tot	
7.0	14	0.06	0.11	0.01	0.11	0.67	0.79	6.8	8	0.07	0.11	0.01	0.03	0.64	0.75	
August 2021															Comments	
Sampled: 24/08/2021					Received: 31/08/2021					Posted: 01/09/2021					None	
EPL5 (STW3BDY)								EPL6 (STW2BDY)								
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss	Tot	
6.8	28	0.10	0.20	0.01	0.12	0.77	1.04	6.7	16	0.06	0.08	0.01	0.04	0.58	0.70	
July 2021															Comments	
Sampled: 16/07/2021					Received: 23/07/2021					Posted: 26/07/2021					None	
EPL5 (STW3BDY)								EPL6 (STW2BDY)								
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss	Tot	
6.8	11	0.09	0.24	0.02	0.19	1.08	1.26	6.7	6	0.10	0.17	0.02	0.08	1.30	1.45	

MINERAL CONCENTRATE SHIPLOADER

Water Quality Monitoring Results (mg/L) – Monthly when discharge

June 2021																Comments
Sampled: 03/06/2021				Received: 15/06/2021				Posted: 24/06/2021								None
EPL5 (STW3BDY)								EPL6 (STW2BDY)								
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss	Tot	
6.9	6	0.12	0.14	0.02	0.06	1.00	1.04	7.4	<5	0.04	0.05	0.03	0.05	0.41	0.44	
May 2021																Comments
Sampled: 06/05/2021				Received: 17/05/2021				Posted: 17/05/2021								None
EPL5 (STW3BDY)								EPL6 (STW2BDY)								
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss	Tot	
7.1	7	0.11	0.13	0.02	0.05	0.67	0.72	6.9	6	0.13	0.15	0.04	0.10	1.08	1.07	
April 2021																Comments
Sampled: 17/04/2021				Received: 17/05/2021				Posted: 17/05/2021								None
EPL5 (STW3BDY)								EPL6 (STW2BDY)								
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss	Tot	
7.1	<5	0.09	0.18	0.02	0.19	0.74	0.91	7.3	9	0.02	0.06	0.02	0.10	0.26	0.33	
March 2021																Comments
Sampled: 08/03/2021				Received: 14/04/2021				Posted: 16/04/2021								None
EPL5 (STW3BDY)								EPL6 (STW2BDY)								
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss	Tot	
6.4	26	0.27	0.82	0.06	0.30	1.23	1.76	6.3	17	0.17	0.31	0.06	0.18	1.36	1.49	

MINERAL CONCENTRATE SHIPLOADER
Water Quality Monitoring Results (mg/L) – Monthly when discharge

February 2021															Comments	
Sampled: 06/02/2021					Received: 18/03/2021					Posted: 22/03/2021					None	
EPL5 (STW3BDY)							EPL6 (STW2BDY)									
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss	Tot	
6.5	8	0.14	0.16	0.08	0.13	1.2	1.2	6.7	6	0.13	0.15	0.04	0.08	0.62	0.63	
January 2021															Comments	
Sampled: 04/01/2021					Received: 03/03/2021					Posted: 10/03/2021					None	
EPL5 (STW3BDY)							EPL6 (STW2BDY)									
pH	TSS	Cu		Pb		Zn		pH	TSS	Cu		Pb		Zn		
		Diss	Tot	Diss	Tot	Diss	Tot			Diss	Tot	Diss	Tot	Diss	Tot	
6.3	8	0.09	0.14	0.07	0.15	1.3	1.4	6.0	8	0.10	0.12	0.04	0.07	0.61	0.65	